Boom Lift License Kingston

Boom Lift License Kingston - To be able to operate an aerial boom lift, operators should be certified through training which could be attained utilizing both classroom sessions and practical training and by attaining a boom lift license. Instruction should be given with respect to the type of aerial lift that would be used on the job. A License is needed for any individual who operates or works on an aerial boom lift.

Vehicle-mounted aerial devices include the following work vehicles: extensible boom platforms, aerial ladders, vertical towers, articulating boom platforms, and whichever combination of these types.

There are a number of basic safety rules which apply to all boom lifts. Worker safety while inside the basket is a top priority. Workers should put on a body harness and lanyard attached to the basket or boom. Never tie off to an adjacent pole, structure, or equipment. Personnel must stand on the basket floor, and never climb or sit on the basket edge. The load limitations of the manufacturer should be adhered to.

Lift operators must be certified to operate an aerial lift. The manufacturer's guidebook must be kept inside the lift and the operator needs to know all aspects of that particular unit. Operators are responsible for making sure that safety procedures are followed in operating the lift. A daily test of lift controls must be performed. Set brakes and position outriggers (if they are used) on pads or a stable surface. If working on a slope, use wheel chocks.

The aerial lift vehicle should never be moved while a worker is in the basket of an elevated boom, unless they are making use of equipment that are particularly designed for this. Extensible boom platforms and articulating boom used as employees carriers must have plainly marked, accessible, upper controls. Except in emergency cases, lower controls should not be used to override upper controls unless the person within the lift gives authorization.

While working from an aerial lift, do not wear tree or pole climbers.
The insulated part of the aerial lift must not be altered.
Do inspect the booms to make sure that it is properly cradled and the outriggers are in the stowed position before moving.
Make sure that lifts being utilized in or near power lines are di-electrically tested and follow local regulations.